

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	229	(123/21).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 07:20
L2	1289	(123/198f).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 07:20
L3	890	(123/90.11).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 07:46
L4	506	((variable or vary\$3 or multi or chang\$4 or convertible or differen\$4) near4 (cycle or stroke)) near40 (intake near3 valve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:05
L5	306076	(valve near10 (solenoid or electric\$4 or electromagnet\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:06
L6	224	(1 or 4) and (2 or 3 or 5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 07:51
L7	724	((variable or vary\$3 or multi or chang\$4 or convertible or differen\$4) near4 (cycle or stroke or mode)) near60 (intake near3 valve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:59
L8	308362	(valve near10 (solenoid or electric\$4 or electromagnet\$4 or electromechanic\$4 or (armature near9 coil)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:07

L9	320	(1 or 7) and (2 or 3 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:07
L10	270427	(armature or valve) near10 (damag\$4 or degrad\$4 or degradation or condition or temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 09:01
L11	206	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:55
L12	394	(valve or armature or coil or electromagnet\$4) near5 (sensing or sensor or detect\$4) near20 (intake or exhaust) near50 (cycle or stroke)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:57
L13	386	12 not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:57
L14	695	(3 or 8) and (1 or 2 or 7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 08:59
L15	416	(10 or 13) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 09:00
L16	15963	(armature or valve or coil) near5 (damag\$4 or degrad\$4 or degradation or condition or temperature) near30 (intake or exhaust)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 09:02

L17	416	(13 or 15) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 09:02
L18	204	(13 or 16) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 09:03
L19	87	18 not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 09:03

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	335	(123/37;64).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:01
L2	1504	(123/21,198f).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:02
L3	323	1 not 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:02
L4	13	3 and (valve near5 (solenoid or armature or coil or electromagnet\$6 or electromechanical\$4 or electrical\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 11:03